

Hip - price list-TA

[Redacted]

ITEM

[Redacted]

PICTURE

[Redacted]

CODE

[Redacted]

MODEL

[Redacted]

DESCRIPTION

[Redacted]

PRICE

[Redacted]

ANNUAL 2015 - 2016

[Redacted]

STAND ALONE CARD READER

1

TA C100 FAD

C 100 30000 CARD ID

Card Reader Time & Access Control 30,000 card

50,000 records

5,455

N/A

2

TACM2FTC

CMI 280UCC COLOR 2800FINGER

Card Access Control system 30,000 card ; 50,000 record Usb Flash disk v.20.0

Serie 2

9,091

N/A

3

TAC50FT

CM 5000

Card Access Control system 30,000 card ; 50,000 record Usb Flash disk v.20.0

6,364

N/A



E-CLOCKING

4

TA S60 FT

GS CMI S60 1000FINGER

Fingerprint Time Attendance 1,000 Fingerprint; 100,000 records E-Clocking No Lan

5,273

P.21

5

TA S70 FT

CMI S70 1000 FINGER

Fingerprint Time Attendance 1,000 Fingerprint; 100,000 records E-Clocking

6,000

P.22

6

TA 232 FT

GS CMI 232 FINGER

Fingerprint

Time Attendance & Access Control 1,000 Fingerprint; 100,000 records E-Clocking

6,000

P.20



EASY EXPRESS

7

TA 681

GS CMI 681 2000 Finger

Fingerprint Time Attendance

1,000 Fingerprint ; 100,000 records Easy Express

3,091

P.23

8

TA 689

GS CMI 689 2000 Finger

Fingerprint Time Attendance

2000 Finger



2000 ID Card : 160000 Record

Easy Express

N/A



SERIE 2

9

TA I210 CFA

GS CI210-C 1000 FINGER

Fingerprint Time & Access Control

1,000 Fingerprint ; 100,000 records (Camera1.3Mpixel Build in)

Serie 2

9,091

P.10

10

TA220FT

GS CMI220 1000 FINGER

Fingerprint Time & Access Control

1,000 Fingerprint ; 100,000 records USB,U disk download,TCP/IP

Serie 2

6,364

P.12

11

TA221FT

GS CMI221 1000 FINGER

Fingerprint Time & Access Control

1,000 Fingerprint ; 100,000 records USB,U disk download,TCP/IP

Serie 2

5,273

P.23

12

TAI26T

FINGER SCAN C26T

Fingerprint Time & Access Control

1,000 Fingerprint ; 100,000 records RS485,TCP/IP;USB

WG.26

Serie 2

6,545

P.11

13

TAI28T

FINGER SCAN C28T

Fingerprint Time & Access Control

2000 Fingerprint ; 50000 Records TCP/IP,RS485,WG26

Serie 2

6,364

P.12



ITEM



PICTURE

[Redacted]

CODE

[Redacted]

MODEL

[Redacted]

DESCRIPTION

[Redacted]

PRICE

[Redacted]

ANNUAL 2015 - 2016

[Redacted]

SERIE 8

14

TA I812 FT OEM

GS CMI 812 1000 FINGER

Fingerprint Time Attendance

1,000 Fingerprint; 100,000 records

serie 8

8,182

P.16

15

TA 800 FT

GS CMI 800 5000 FINGER

Fingerprint Time Attendance

5,000 Fingerprint; 100,000 records

serie 8

11,818

P.17

16

TA 820 CFT

GS CMI820-C 5000 FINGER

Fingerprint Time Attendance

5,000 Fingerprint; 100,000 records

serie 8

13,091

P.17

17

TA I809 FA

GS CI 809 1000 FINGER

Fingerprint

Time & Access Control 1,000 Fingerprint ; 100,000 records

serie 8

10,000

P.9

18

TA C806 BFA

GS C 806 2000 FINGER (BLACK)

Fingerprint

Time & Access Control

2,000 Fingerprint ; 50,000 recordss

serie 8

9,455

P.9

19

TA821CI

GS CMI 821 - C1 Intercom

Fingerprint

Time & Access Control 1,000 Fingerprint ; 100,000 records

serie 8

29,091

P.7



SERIE 8U

20

TA I816 UFT OEM

GS CMI 816U 2000 FINGER

Fingerprint Time Attendance 3,000 Fingerprint; 100,000 records

serie 8U

6,364

P.15

21

TA 810U OEM

GS CMI 810 U 2000 FINGER

Fingerprint

Time & Access Control 2,000 Fingerprint; 100,000 records

serie 8U

6,182

P.8

22

TA 819 UFT

GS CMI 819 U 2000 FINGER

Fingerprint Time Attendance

3,000 Fingerprint; 100,000 records ID and MF

serie 8U

8,182

P.15

23

TA 817U

GS CMI 817U 1000 FINGER

Fingerprint Time Attendance

1,000 Fingerprint ; 100,000 records

6,364

P.6

24

TA801FA

GS CMI 801U 1000 FINGER

Fingerprint

Time & Access Control

2,000 Fingerprint ; 100,000 records

serie 8

9,455

P.4

25

TA818U

GS CMI 818U 2000 FINGER

Fingerprint

Time & Access Control 1,000 Fingerprint ; 100,000 records

serie 8

9,091

N/A

26

SE280

READER CMG280 500 Finger

Fingerprint

Time & Access Control 500 Fingerprint

3,273

P.49

27

TA 805 FA

GS CI 805 U 2000 FINGER

Fingerprint

Time & Access Control 800 Fingerprint ; 50,000 records

serie 8U

4,909

P.5

28

TA 806 U

GS CI 806 U 3000 FINGER

Fingerprint

Time & Access Control

3,000 Fingerprint ; 100,000 records

10,000

P.4

29

TA 807 FA

GS CI 807 U 12000 CARD

Fingerprint

Time & Access Control 2,000 Fingerprint ; 100,000 records

serie 8U

5,091

P.6

[Redacted]

ITEM

[Redacted]

PICTURE

[Redacted]

CODE

[Redacted]

MODEL

[Redacted]

DESCRIPTION

[Redacted]

PRICE



ANNUAL 2015 - 2016

30

TA 809 FA

GS CI 809 U 1000 FINGER

Fingerprint

Time & Access Control 1,000 Fingerprint; 100,000 records

serie 8U

8,182

P.5



FACE SCAN

31

TAIF637

Facescan CMIF63 700 Face

Face Scan

Time & Access Control 700 face; 200,000 records

11,818

P.24

32

TAIF63

Facescan CMIF63 1000 Face

Face Scan

Time & Access Control 1,000 face; 200,000 records

16,000

P.24

33

TAF63S20

Facescan CMIF63S 2000 Face

Standalone Fingerprint Time Attendance System and access control

2000 faces



10000 Finger



2000 ID Car

Record; TCP/IP ; USB;u disk download

13,818

N/A

34

TAF63S15

Facescan CMIF63S 1500 Face

Standalone Fingerprint Time Attendance System and access control

1500 faces



10000 Finger



1500 ID Car

Record; TCP/IP ; USB;u disk download

10,909

N/A

35

TAF63S07

Facescan CMIF63S 700 Face

Standalone Fingerprint Time Attendance System and access control

700 faces



7000 Finger



700 ID Card

TCP/IP ; USB;u disk download

8,182

N/A

36

TAF65S7

Facescan CMIF65S 700 Face

Standalone Fingerprint Time Attandance System and access control

700 faces



7000 Finger



700 ID Card

TCP/IP ; USB;u disk download

8,727

N/A

37

TAF65S15

Facescan CMIF65S 1500 Face

Standalone Fingerprint Time Attendance System and access control

1500 faces



10000 Finger



1500 ID Car

Record; TCP/IP ; USB;u disk download

11,455

N/A



SERIE 6S

TA681S

GS CMI 681S 6000 Finger

Standalone Fingerprint Time Attendance System and Access control

6000 Finger



6000 ID Card ; 160000 Record;

TCP/IP ; USB;u disk download

6,000

N/A

39

TA682S

GS CMI 682S 10000 Finger

Standalone Fingerprint Time Attendance System and Access control

8000 Finger



8000 ID Card ; 160000 Record;

TCP/IP ; USB;u disk download

8,727

N/A

40

TA683S

GS CMI 683S 10000 Finger

Standalone Fingerprint Time Attendance System and Access control

10000 Finger



10000 ID Card ; 160000 Record;

TCP/IP ; USB;u disk download

10,909

N/A



41

TA 18 NRD

CARD 1.8 NO RUN ID

Proximity (ID) 1.8 No run number กล่อ งละ 100 ไบ

45

P.63

42

TA 18 RD

CARD ID 1.8 Run

Proximity (ID) 1.8 run number กล่อ งละ 100 ใ้

55

P.63

43

TA 08 NRD

CARD ID 0.8 No Run

Proximity (ID) 0.8 No run number กลอ ังละ 200 ไบ

36

P.63

44

TA 08 RD

CARD ID 0.8 Run

Proximity (ID) 0.8 run number กล่อ งละ 200 ไบ

64

P.63

[REDACTED]

ITEM [REDACTED]

[REDACTED]

PICTURE [REDACTED]

[REDACTED]

CODE [REDACTED]

[REDACTED]

MODEL

DESCRIPTION

PRICE

ANNUAL 2015 - 2016

TA 08 NSD

CARD ID 0.8 NO SCREEN

Proximity (ID) 0.8 No Screen กลอ่ งละ 200 ใบ

45

P.63

46

TA 18 LRD

CARD ID 1.8 LONGER

Proximity (ID) 1.8 card longer ก่อ งละ 100 ใบ

55

P.63

47

TA MP M1

CARD MIFARE 1K (MANGO)

Mifare 1 (1K),(Chip Mango) ล้อ ๓๒๖ ๒๐๐ ใบ

27

P.63

48

TA MP1

CARD MIFARE 1K (Philips)

Mifare 1 (1K),(Chip Phillip) ก่อ งละ 200 ใบ

55

P.63

49

TA MP4

CARD MIFARE 4K (Philips)

Mifare 1 (4K),(Chip Phillip) ก่อ งละ 200 ใบ

82

P.63

50

TAMPT1

CARD MIFARE 1K (TKS50)

Mifare 1 (1K),(ChipTKS50) ก่อ ๑๒๕ ๒๐๐ ๒๒๐

36

P.63



KEY TAP

51

TA KH 3B

KEYTAP HL - 3 Blue ID หยดน้ำ

KEY TAP HL....03 (ID)

หยดน้ำสนี้ ้าเงิน

15

P.64

52

TA KH 3Y

KEYTAP HL-3 Yellow

KEY TAP HL....03 (ID)

หยดน้ำสีเหลือง

15

P.64

53

TA KH 1G

KEYTAP HL-1 Grey

KEY TAP HL....01 (ID)

สี่ หลี่ ม สี่ ทำ

15

P.64

54

TA KH 1B

KEYTAP HL-1 Blue

KEY TAP HL....01 (ID)

สี หล่ยม สนิ้งงนิ

15

P.64

55

TA KH 1R

KEYTAP HL-1 RED

KEY TAP HL....01 (ID)

สี หล่ ยี่ ม สใ้ ดง

15

P.64

56

TA KH 1Y

KEYTAP HL-1 YELLOW

KEY TAP HL....01 (ID)

สี หลี่ ม สี หลี่ ง

P.64

57

TA KH3 BM

KEYTAP HL - 3 Blue MF หยอดน้ำ

KEY TAP HL....03 MF

หยดน้ำสีน้ำเงิน

36

P.64

58

TA KH1 YM

KEYTAP HL-1 YELLOW MF

KEY TAP HL....01 MF

สี่ หล่ยม สี่ หล่ยง

36

P.64



ELECTRIC LOCK

59

TA B200

Bolt (Electric bolt) EC 200-1 สัน

Electric Bolt Monitor LED

1,818

P.62

60

TA DB 600

DROP BOLT

Drop Bolt

545

P.62



ITEM



PICTURE



CODE



MODEL

DESCRIPTION

PRICE

ANNUAL 2015 - 2016

TA UB

U Bracket for Bolt PZEC200

U Bracket For bolt

1,091

P.62

62

TA M300

MAGNETIC LOCK 300 P

Magnetic Lock 300 lb Monitor LED

1,182

P.62

63

TA T300

L/Z 300 P

LZ Bracket for Magnetic Lock 300 lb

455

P.62

64

TA M600 HB

MAGNETIC LOCK 600P (HB)

Magnetic Lock 600 lb Monitor LED

1,364

P.62

65

TA 600 HB

L/Z 600 P

LZ Bracket for Magnetic Lock 600 lb

545

P.62

66

TA U600

U Bracket 600p FOR MAGNETIC

U Bracket For magnetic

273

P.62



BATTERY

67

TA 12V 7A

BATTERY 12V 7AH

Battery 12 VDC 7AH

582

P.59



POWER SUPPLY

68

TA 12V 2A

POWER SUPPLY 12V 2A

Power Supply 12 VDC and Controller 2A.

1,091

P.59

69

TA 12V 3A

POWER SUPPLY 12V 3A

Power Supply 12 VDC and Controller 3A.

1,818

P.59

70

TA 12V 5V3

POWER SUPPLY 12V 5V 3.5A

Power Supply 12 VDC & 5V 3.5A.

2,000

P.59



POWER SUPPLY SET

71

SET HIP-CM901 B

Power Supply Controller 3A Battery 12 VDC

2,182

N/A



EXIT SWITCH

72

TA 803

Exit Switch plastic ED-803

Exit switch (PVC) Pastic Short Circuit

23 x 76 x 18 mm.

64

P.60

73

TA 6332

Exit Switch PVC CM 633-2

Exit switch (PVC) Pastic Short Circuit

80 x 80 x 20 mm.

145

P.60

74

TA 805

Exit Switch ABK-805

Dimensions:32 x 83 x 25 mm. Alloy Plate , Steel Button Current Rating: 3A 36VDC Max Output Contact: NC/COM

545

P.61



ITEM



PICTURE

[Redacted]

CODE

[Redacted]

MODEL

[Redacted]

DESCRIPTION

[Redacted]

PRICE

[Redacted]

ANNUAL 2015 - 2016

75

TA 801 A

Exit Switch New(YL) ABK801A

Exit Switch (Small) "Aluminum" NC/NO 28 x 86 x 20 mm.

218

P.60

76

TA 800 A

Exit Switch ABK-800A

Exit Switch (Small) "Aluminum" NC/NO 35 x 86 x 10 mm.

364

P.60

77

TA K1

Exit Switch no touch(K1-1) 6.5x11.5 mm

EXIT SWITCH NO TOUCH NO/NC

70 x 115 x 2.9 mm.

636

P.58



REMOTE CONTROL

78

SEA01

REMOTE CONTROL A01

POWER :12VDC DISTANCE:50 METERS 433MHZ

42 x 60 x 28 mm.

545

P.49

79

SEA01R

REMOTE CONTROL FOR A01

POWER :12VDC DISTANCE:50 METERS 433MHz

42 x 60 x 28 mm.

182

P.49



WIEGAND CONTROLLER

80

TA CB

CONTROLLER ACCESS CONTROL

Controller Box with Power Supply 12V 3.5A

Specification of box : 228 x 273 x 65 mm.

2,727

P.51

81

TA WGAB 40P

WIEGAND CONTROLLER 4000P

Four-zone fire control, four-way alarm output

3,091

P.51

82

TA WG 12NE

WIEGAND CONTROLLER 1002 TCP/IP BO1

Two-door two-way control, 20,000 card management authority, 100,000 recordss offline storage, TCP / IP LAN wide-area network control, deliVery time

7,273

P.51

83

TA WG 22NB

WIEGAND CONTROLLER 2002 TCP/IP BO2

Two-door two-way control, 20,000 card management authority, 100,000 recordss offline storage, TCP / IP LAN wide-area network control, deliVery time

9,091

P.51

84

TA WG24 NB

WIEGAND CONTROLLER 4001 TCP/IP BO4

Two-door two-way control, 20,000 card management authority, 100,000 recordss offline storage, TCP / IP LAN wide-area network control, deliVery time

10,909

P.51



READER FOR WIEGAND

85

TA 600 D

READER RTW/USB ID 600 D

ID Reader

909

P.57

86

TA 600 DM

READER RTW/USB MF 600 M

MF Reader

1,091

P.57

87

TA S808

READER W.G CMS 808 ID

ID Reader LED 2 color WG 26 BIT

47 x 85 x 17 mm.

3-10 cm.

1,000

P.54

88

TA S80 8M

READER W.G CMS 808 MF

ID Reader LED 2 color WG 26 BIT

47 x 85 x 17 mm.

3-10 cm.

1,182

P.54

89

TA S809

READER W.G CMS 809 ID

ID Reader LED 2 color WG 26 BIT

76 x 115 x 16 mm.

3-10 cm.

1,091

P.55



ITEM

PICTURE

CODE

MODEL

DESCRIPTION

PRICE

ANNUAL 2015 - 2016

90

TA S809 M

READER W.G CMS 809 MF

ID Reader LED 2 color WG 26 BIT

76 x 115 x 16 mm.

3-10 cm.

1,273

P.55

91

TA S810

READER W.G CMS 810 ID

ID Reader LED 2 color WG 26 BIT

76 x 115 x 16 mm.

3-10 cm.

909

P.54

92

TA S810 M

READER W.G CMS 810 MF

ID Reader LED 2 color WG 26 BIT

76 x 115 x 16 mm.

3-10 cm.

1,091

P.54

93

TA S900

READER W.G CMS 900 ID

ID Reader LED 2 color WG 26 BIT

76 x 115 x 16 mm.

3-10 cm.

1,000

P.55

94

TA S900 M

READER W.G CMS 900 MF

ID Reader LED 2 color WG 26 BIT

76 x 115 x 16 mm.

3-10 cm.

1,182

P.55

95

TA XF100

LONGER READER CM.XF100

30-80CM. ก้าน งบประมาณ

ID Longer Reader distance: 30 - 80 cm.

Wiegand 26 BIT

5,091

P.56

96

TA XF100-RS232

LONGER READERCMXF100-RS232

30-80CM. กำ ึ่งปลำ

ID Longer Reader distance: 30 - 80 cm.

RS-232

7,091

P.56

97

TAXF110

LONGER READER CM.XF110

30-80CM. กำ งบลำ

ID Longer Reader distance: 30 - 80 cm.

Wiegand 26 BIT

5,091

N/A

98

SE270

READER CMG270 1000 USER

Access control with card 3000 USER

ID CARD/CARD+PASSWORK /PASSWORD

1,091

P.50

99

TA260

READER CMG260

Access control with card 1000 USER

ID CARD/CARD+PASSWORK /PASSWORD

909

P.50

100

TA290

READER CMG290

RF card type: EMID or Mifare card available card capacity: 800-10000PCS Maximum card-read distance: 7-10cm

N/A



WIEGAND SET

101

SET CWG 102T

WIEGAND 1002/TCP/IP

CONTROLLER 3.5V 1PCES BATTERY12V 7AH 1PCES READER ID CMS 810-D 2PCES

S/W MANAGEMENT 1PCES

12,727

N/A

102

SET CWG 202T

WIEGAND 2002/TCP/IP

CONTROLLER 3.5V 1PCES BATTERY12V 7AH 1PCES READER ID CMS 810-D 4PCES

S/W MANAGEMENT 1PCES

16,364

N/A

103

SET CWG 401TC

WIEGAND 4001/TCP/IP

CONTROLLER 3.5V 1PCES BATTERY12V 7AH 1PCES READER ID CMS 810-D 4PCES EXIT SWITCH ED 803 4PCES S/W MANAGEMENT 1PCES

20,000

N/A

104

SET ABC 270

SET ACCESS CMG-260

Controller CMG-270 1PCES CARD 1.8 RUN 5PCES MAGNETIC + L/Z 600 lb 1SET POWER SUPPLY 12V 2A 1PCES

EXIT SWITCH ED 803 1PCES

4,000

N/A

[Redacted]

ITEM [Redacted]

[Redacted]

PICTURE [Redacted]

[Redacted]

CODE [Redacted]

[Redacted]

MODEL [Redacted]

[Redacted]

DESCRIPTION

[Redacted]

PRICE

[Redacted]

ANNUAL 2015 - 2016

[Redacted]

FINGER LOCK

TA P6 EL

Finger lock CMP 6E (L)

Finger angle: correct identification at any angle within 360°LED display

Three modes to open:Fingerprint Password or Mechanical Key Operation Power:DC 6V,4 x 1.5V

9,091

P.77

106

TA P6 ER

Finger lock CMP 6E (R)

Finger angle: correct identification at any angle within 360°LED display

Three modes to open:Fingerprint Password or Mechanical Key Operation Power:DC 6V,4 x 1.5V

9,091

P.77

107

TA FU 1L

Finger lock CMP U1 (L)

Finger angle: correct identification at any angle within 360°LED display

Three modes to open:Fingerprint Password or Mechanical Key Operation Power:DC 6V,4 x 1.5V

10,000

P.78

108

TA FU 1R

Finger lock CMP U1 (R)

Finger angle: correct identification at any angle within 360°LED display

Three modes to open:Fingerprint Password or Mechanical Key Operation Power:DC 6V,4 x 1.5V

10,000

P.78



CARD LOCK

109

TA F6D 2L

Card lock CMP 6D2 (L)

Emergency supply

Lifting the handle to lock the door on the inside Three modes to open:Mifare Card,Password

10,000

P.76

110

TA F6D 2R

Card lock CMP 6D2 (R)

Emergency supply

Lifting the handle to lock the door on the inside Three modes to open:Mifare Card,Password

10,000

P.76

111

TA F6D 1R

Card lock CMP 6D1 (R)

Emergency supply

Lifting the handle to lock the door on the inside Three modes to open:Mifare Card,Password

10,000

N/A

112

TA F 6D1 L

Card lock CMP 6D1 (L)

Emergency supply

Lifting the handle to lock the door on the inside Three modes to open:Mifare Card,Password

10,000

N/A



IDL LOCK

113

TA 118 PL

IDL LOCK 118P-S LEFT

201 Stainless steel ID 200 CARD 6V

3,636

P.68

114

TA 118 P

IDL LOCK 118P-S RIGHT

201 Stainless steel ID 200 CARD 6V

3,636

P.68



Hotel lock

115

Hotel Lock CM1028P

MF 200 user;password :50 user zinc alloy

MF 1 K+password battery AA 4unit

9,049

P.67

116

Hotel Lock CM1024P

Nanotechnology Anti-moisture zinc alloy

MF 1 K+password battery AA 4unit

10,441

P.67

117

Hotel Lock CM1058P

MF 200 user;password :50 user zinc alloy

MF 1 K+password battery AA 4unit

13,574

P.67



ITEM

[Redacted]

PICTURE

[Redacted]

CODE

[Redacted]

MODEL

[Redacted]

DESCRIPTION

[Redacted]

PRICE

[Redacted]

ANNUAL 2015 - 2016

118

Hotel Lock CM1068P

MF 200 user;password :50 user zinc alloy

MF 1 K+password battery AA 4unit

8,701

P.67

119

TA918P

Hotel Lock 918P Password

MF 200 user;password :50 user zinc alloy

MF 1 K+password battery AA 4unit

8,353

P.67

120

HOTEL LOCK CM1028R

MF 1 K+password+KEY+REMOTE zinc alloy



5meter

เพิ่ม remote ใต้อ่างถ้ำ 30อัน

10,093

P.67

121

HOTEL LOCK CM918R

MF 1 K+password+KEY+REMOTE zinc alloy

□ 5meter

เพิ่ม remote ไม้จ้ำกถึ 30อัน

10,093

P.67

122

HOTEL LOCK CM118R

MF 1 K+password+KEY+REMOTE zinc alloy

□ 5meter

เพิ่ม remote ใหม่ 30อัน

8,353

P.67

123

HOTEL LOCK CM218R

MF 1 K+password+KEY+REMOTE zinc alloy



5meter

เพิ่ม remote ไม้จ้ำกถึ 30อัน

10,093

P.67

124

HOTEL LOCK CM01E

TEMIC or MF 1 K

zinc alloy 1000 record

Nanotechnology Anti-moisture

5,221

P.68

125

HOTEL LOCK CM02E

TEMIC or MF 1 K

zinc alloy 1000 record

Nanotechnology Anti-moisture

6,613

P.69

126

HOTEL LOCK CM1098E

TEMIC or MF 1 K

zinc alloy 1000 record

Nanotechnology Anti-moisture

5,221

P.69

127

TAH119ER

HOTEL LOCK CM119E

TEMIC or MF 1 K

201 Stainless steel

1000 record Nanotechnology Anti-moisture

3,480

P.69

128

TAH119E

HOTEL LOCK CM119E --S2

TEMIC or MF 1 K

201 Stainless steel

1000 record Nanotechnology Anti-moisture

3,480

P.69

129

CM1038E

HOTEL LOCK CM1038E

TEMIC or MF 1 K

zinc alloy 1000 record

Nanotechnology Anti-moisture

4,525

P.69

130

HOTEL LOCK 918E

TEMIC or MF 1 K

zinc alloy 1000 record

Nanotechnology Anti-moisture

4,980

P.70

131

HOTEL LOCK 1018E

TEMIC or MF 1 K

zinc alloy 1000 record

Nanotechnology Anti-moisture

4,980

P.71

132

TA218E

HOTEL LOCK 218E

TEMIC or MF 1 K

zinc alloy 1000 record

Nanotechnology Anti-moisture

3,913

P.71

133

TA218E -S

HOTEL LOCK 218E -S

TEMIC or MF 1 K

zinc alloy 1000 record

Nanotechnology Anti-moisture

3,913

P.71

134

HOTEL LOCK 518E

TEMIC or MF 1 K

zinc alloy 1000 record

Nanotechnology Anti-moisture

4,269

P.71

135

HOTEL LOCK 918

password+temic or MF card zinc alloy

1000 record Nanotechnology Anti-moisture

6,759

P.70



ITEM



PICTURE

CODE

MODEL

DESCRIPTION

PRICE

ANNUAL 2015 - 2016

152

LOCKER LOCK CME116Z

TEMIC or MF 1 K

Zinc Alloy 1000 record

Open Time $\leq 7S$

855

P.82

153

LOCKER LOCK CME118Z

TEMIC or MF 1 K

Zinc Alloy 1000 record

Open Time $\leq 7S$

1,018

P.81

154

CME119ZLOCKER LOCK

TEMIC or MF 1 K

Zinc Alloy 1000 record

Open Time $\leq 7S$

855

P.81

155

LOCKER LOCK CME120Z

TEMIC or MF 1 K

Zinc Alloy 1000 record

Open Time $\leq 7S$

855

P.81

156

LOCKER LOCK CME121Z

TEMIC or MF 1 K

Zinc Alloy 1000 record

Open Time $\leq 7S$

909

P.81

157

LOCKER LOCK CME123Z

TEMIC or MF 1 K

Zinc Alloy 1000 record

Open Time $\leq 7S$

1,545

P.81

158

LOCKER LOCK CME108P

Zinc Alloy PASSWORLD+ MF 1 K

1000 record Open Time $\leq 7S$

1,455

P.81

159

LOCKER LOCK CME118P

Zinc Alloy PASSWORLD+ MF 1 K

1000 record Open Time $\leq 7S$

2,000

P.81

160

LOCKER LOCK CME119P

Zinc Alloy PASSWORLD+ MF 1 K

1000 record Open Time ≤ 75

1,818

P.81

161

LOCKER LOCK CME120P

Zinc Alloy PASSWORLD+ MF 1 K

1000 record Open Time $\leq 7S$

1,818

P.81

162

LOCKER LOCK CME121P

Zinc Alloy PASSWORLD+ MF 1 K

1000 record Open Time $\leq 7S$

1,909

P.81



ACCESSORIES FOR Hotel lock

163

TA GD

GET DATA HOTEL

Mifare 1 (S50) ขนาด 0.76 - 0.8 mm.

7,273

P.74

164

TA RDHL MF

READER & WRITER FOR HOTEL

Card MF

Type:Mifare 1 (S50) ขนาด 0.76 - 0.8 mm. Material ABS

7,273

P.74

165

TA EM

Energy Switch MF

Energy Switch CARD MF 16A/30A

3,520W/6,600W

1,636

P.74

166

TA EP

Energy Switch PVC

Energy Switch PVC 16A/30A 3,520W/6,600W

909

P.74

167

TA EI

Energy Switch ID

Energy Switch ID 16A/30A 3,520W/6,600W

1,273

P.74

168

Energy Switch CMK01-ID

CARD PROXIMITY 12Vdc.

727

N/A



ITEM

[Redacted]

PICTURE

[Redacted]

CODE

[Redacted]

MODEL

[Redacted]

DESCRIPTION

[Redacted]

PRICE

[Redacted]

ANNUAL 2015 - 2016

169

Energy Switch CMK01-MF

CARD MF 12VDC.

909

N/A

170

CM331

220Vac 30S 30A/30A/10A 15,400 W.(Total)

1,818

N/A