

KX-NS300 IP PBX

ขนาด 32 SIP TRUNK 128 SIP PHONE

ใช้งานได้เต็มไม่เกี่ยวกับระบบอนาล็อก

ขนาดเริ่มต้น 6 FXO 16 FXS ยังไม่มี IP Phone License



ตู้สาขาโทรศัพท์ Panasonic KX-NS300BX

เริ่มต้นที่ 6 สายนอก 16 สายภายใน อนาล็อก 2 สายภายใน ดิจิตอล

(ขยายได้สูงสุด 48 สายนอก 128 สายภายใน)

โปรโมชั่น kx-ns300 ขนาด 6 สายนอก 32 สายภายใน

- เครื่องโทรศัพท์แบบคีย์ดิจิตอล KX-DT543X เครื่อง
- เครื่องโทรศัพท์ธรรมดาแบบโซว์เบอร์ KX-T7703X เครื่อง

รายละเอียด และคุณสมบัติ

> KX-NS300 คือระบบที่ทำงานเหมือน KX-TDA/TDE100-200 และ KX-NCP แต่สามารถทำงาน built-in solution เหมือนกับ KX-NS1000.

> KX-NS300 ออกแบบใหม่ฟังก์ชันและการทำงานเหมือนกันกับ same features KX-TDA100D. และเพิ่มการทำงานของ KX-TDE/NCP version 7 และ KX-NS1000 version 3.

> รองรับ IP Networking ทั้งสายนอก และสายใน รองรับ SIP

> สามารถนำเครื่องคีย์อนาล็อกและคีย์ดิจิตอลรุ่นเก่ามาต่อใช้งานได้ KX-T74xx / KX-T75xx / KX-T77xx

> DISA 2-ch DISA Built-in 2-hour recording for DISA and Simple VM

> VM, Recording บันทึกเสียงลงใน SD Card

> KX-NS300 สามารถขยายสายในและสายนอกด้วยการเพิ่ม การ์ดและตัวตู้ขยายเพิ่ม

- 48 Analog CO หรือ 4 PRI/E1 พร้อมด้วย 6 Analog CO

- 128 SLT พร้อมด้วย 2 Digital PT หรือ 64 SLT พร้อมด้วย 66 Digital PT (without D-XDP)

> สามารถขยายระบบได้ถึง 1,000 สายใน ด้วยการต่อ KX-NS300 version 2 software เข้ากับ KX-NS1000. (Hardware of KX-NS300 version 2 is same as version 1.)

Built-in for Main Cabinet

> Hardware ที่ีมีมา (built-in) กับระบบ KX-NS300.

- 2-ch DISA หรือ Simple VM / Recording time : 120 min (Simple VM specification is same as ESVM2 card on OPB3 card of KX-TDA100D.)

- Digital PT 2-port (+ 2 D-XDP)

- SLT 16-port with caller ID and message waiting

- Analog CO 6-port with caller ID Analog CO สามารถโปรแกรมให้เป็น paging port หรือ external BGM port.

- 2-ch internal BGM (WAV file can be saved.)

- LAN port (10/100 Base TX) / USB port

- Power supply / External battery port

Built-in for Expansion Cabinet

> Hardware ที่ีมีมากับ (Built-In) ระบบ KX-NS320

- SLT 16-port with caller ID and message waiting

- Power supply / External battery port

แคตตาล็อก KX-NS300BX [KX-NS300bx_datasheet.pdf](#) (5.78 MB)

[Details](#)

[Download](#)

[ดาวน์โหลด คู่มือการใช้งาน คู่มือการติดตั้ง คู่มือการโปรแกรม ซอฟต์แวร์](#)

KX-NS300 SIP Trunk CAT [KX-NS300_KX-NS1000_SIP_Trunk_CAT.pdf](#) (1.16 MB)

[Details](#)

[Download](#)

KX-NS300 Version 4.1.1000 Extension [4.1_1000_Extersion4.1_1,000_ext.pdf](#) (19.58 MB)

[Details](#)

[Download](#)

KX-NS300 Training Ver 4.1 [KX-NS300_Training_Ver4.1.pdf](#) (4.98 MB)

[Details](#)

[Download](#)

KX-NS300 Firmware Ver 4.2024 [Fw_Ver_4.2024_4.42024.zip](#) (94.33 MB)

[Details](#)

[Download](#)

KX-NS300 Firmware Ver 4.30033 [Fw_Ver_4.30033_4.30033.zip](#) (106.42 MB)

[Details](#)

[Download](#)

KX-NS300 Firmware [Firmware_DLC8_DLC16_DLC16.zip](#) (234.29 kB)

[Details](#)

[Download](#)

NS Web-MCV5.40.1.0 [NS Web-MCV5.40.1.0_M3_R1.zip](#) (294.30 MB)

[Details](#)

[Download](#)

NS Web-MCV5.30.1.2 [NS Web-MCV5.30.1.2_M3_R1.zip](#) (282.06 MB)

[Details](#)

[Download](#)

KX-NS300 Prompt [Prompt_foster_master_20140213132610.zip](#) (27.39 MB)

[Details](#)

[Download](#)

KX-NS300 UP Version [Up_Version_NS300.pdf](#) (446.46 kB)

[Details](#)

[Download](#)

KX-NS300 Training [KX-NS300_Training.pdf](#) (8.38 MB)

[Details](#)

[Download](#)

KX-NS300 PC Program [PC_Program_Manual_Manual_kx-ns300.pdf](#) (6.19 MB)

[Details](#)

[Download](#)

KX-NS300 PT Program [PT_Program_Manual_Manual_kx-ns300.pdf](#) (1.78 MB)

[Details](#)

[Download](#)

KX-NS300 User Manual [User Manual_kx-ns300.pdf](#) (7.47 MB)

[Details](#)

[Download](#)

KX-NS300 Installation Manual [Installation Manual_kx-ns300.pdf](#) (9.79 MB)

[Details](#)

[Download](#)

KX-NS300 Feature Guide [Feature Guide_kx-ns300.pdf](#) (6.01 MB)

[Details](#)

[Download](#)

KX-NS300 Getting Started [Getting Started_kx-ns300.pdf](#) (2.78 MB)

[Details](#)

[Download](#)

Introduction - Product Overview

Smart Hybrid System

KX-NS300 มีความพิเศษที่รองรับทั้งระบบสายและไร้สาย ซึ่งสามารถรองรับได้สูงสุด 4 สาย และสามารถขยายได้เรื่อยๆ

Maximum Trunks and Extensions

Type	Preinstalled	Unit 1 KX-NS300	Unit 2 KX-NS300	Unit 3 KX-NS300
Legacy				
Trunks	8 ch.	32 ch.	32 ch.	32 ch.
Extensions (EXTEN)	0	24 EXT.	32 EXT.	32 EXT.
IP				
Trunks	N/A	16 ch.	16 ch.	16 ch.
Extensions	0	0	0	0

* When Digital ICP is used

New product IP PBX Panasonic KX-NS300

รหัสสินค้า	รายละเอียด	ราคา
KX-NS300BX	Main Unit Bult IN Power supply 6CO + 16SLC + 2 DPT	
KX-NS320BX	Expension Shelf Bult IN Power supply With 16SLC	
KX-NSM102X	2 ch IP Trunks (H.323/SIP) AK	
KX-NSM104X	4 ch IP Trunks (H.323/SIP) AK	
KX-NSM108X	8 ch IP Trunks (H.323/SIP) AK	
KX-NSM116X	16 ch IP Trunks (H.323/SIP) AK	
KX-NSN002X	QSIG Network Features	
KX-NSM201X	1 ch IP Phone NT/UT/IP Soft phone AK	
KX-NSM205X	5 ch IP Phone NT/UT/IP Soft phone AK	
KX-NSM210X	10 ch IP Phone NT/UT/IP Soft phone AK	
KX-NSM220X	20 ch IP Phone NT/UT/IP Soft phone AK	
KX-NSM501X	1 ch IP Phone NT/UT AK	
KX-NSM505X	5 ch IP Phone NT/UT AK	
KX-NSM510X	10 ch IP Phone NT/UT AK	
KX-NSM520X	20 ch IP Phone NT/UT AK	
KX-NSM701X	1 ch SIP Phone AK	

KX-NSM705X	5 ch SIP Phone AK
KX-NSM710X	10 ch SIP Phone AK
KX-NSM720X	20 ch SIP Phone AK
KX-NSE101X	1 ch Mobile Extension AK
KX-NSE105X	5 ch Mobile Extension AK
KX-NSE110X	10 ch Mobile Extension AK
KX-NSE120X	20 ch Mobile Extension AK
KX-NS5110X	DSP Card With DISA Voice Message Card [ESVM]
KX-NS3134X	SD Memory XS (VM:40 Hrs.)
KX-NS3135X	SD Memory S (VM:200 Hrs.)
KX-NS3136X	SD Memory M (VM:400 Hrs.)
KX-NS5180X	6 Analog Trunk w Caller ID
KX-NS5290CE	PRI30/E1 Card
KX-NS5162X	Door Phone Card 2 ports
KX-NS5170X	4 ports hybrid (4 SLT/4DPT)

KX-NS5171X	8 ports digital Card	
KX-NS5172X	16 ports digital Card	
KX-NS5173X	8 ports SLT w Caller ID and Message lamp	
KX-NS5174X	16 ports SLT w Caller ID and Message lamp	
KX-NS5130X	NS5130 EXP-M Stacking Master Card	
KX-TDA0196XJ	Remote Modem Card	
KX-NSU002X	Two-way REC control	
KX-NSU003X	UM Message Backup	
KX-NSU102X	2 ch Voice Mail & Two-Way REC	
KX-NSU104X	4 ch Voice Mail & Two-Way REC	
KX-NSU201X	1 user E-mail Client/E-mail notification	
KX-NSU205X	5 user E-mail Client/E-mail notification	
KX-NSU210X	10 user E-mail Client/E-mail notification	
	New product IP PBX Panasonic KX-NS300	
รหัสสินค้า	รายละเอียด	ราคา
KX-NSU220X	20 user E-mail Client/E-mail notification	
KX-NSU299X	All user E-mail Client/E-mail notification	
KX-NSU301X	1 user Two-way REC/Two-way Transfer	
KX-NSU305X	5 user Two-way REC/Two-way Transfer	
KX-NSU310X	10 user Two-way REC/Two-way Transfer	

KX-NSU320X	20 user Two-way REC/Two-way Transfer
KX-NSU399X	All user Two-way REC/Two-way Transfer
KX-NSF990X	NS990 IP Phone Capacity (IP Activation Key)
KX-NSA201X	1 user CA PRO
KX-NSA205X	5 user CA PRO
KX-NSA210X	10 user CA PRO
KX-NSA240X	40 user CA PRO
KX-NSA249X	128 user CA PRO
KX-NSA301X	1 user CA Supervisor
KX-NSA401X	2 user CA Operator Console
KX-NSA901X	1 user CA Networking Plug-in
KX-NSA905X	5 user CA Networking Plug-in
KX-NSA910X	10 user CA Networking Plug-in
KX-NSA940X	40 user CA Networking Plug-in
KX-NSA949X	128 user CA Networking Plug-in
KX-NSA010X	CA Thin Client
KX-NSA020X	CSTA Multiplexer

KX-NSF101X	CTI interfacing
DT	NT
KX-DT521X	Digital Phone 1 line 8 FSK
KX-DT543X	Digital Phone 3 line 24 FSK
KX-DT546X	Digital Phone 6 line 24 FSK
KX-DT590X	DSS 48 keys for Digital Phone
KX-NT560X	IP Phone 6 line 32 FSK (10/100/1000 BaseT)
KX-NT556X	IP Phone 6 line 36 FSK (10/100/1000 BaseT)
KX-NT553X	IP Phone 3 line 24 FSK (10/100/1000 BaseT)
KX-NT543X	IP Phone 3 line 24 FSK (10/100 BaseT)
KX-NT546X	IP Phone 6 line 24 FSK (10/100 BaseT)
KX-NT551X	IP Phone 1 line 6 FSK (10/100/1000 BaseT)
KX-NT511PXW	IP Phone 1 line 3 FSK (10/100 BaseT)
KX-NT511ABXW	IP Phone 1 line 3 FSK (10/100 BaseT) Not PoE
KX-NT505X	DSS 48 keys for IP Phone
	UT
KX-UT113 X	Panasonic VoIP/1SIP Phone, 3-Lines 1 Port / PoE /100
KX-UT123 X	Panasonic VoIP/2 SIP Phone, 3-Lines 2 Port/ PoE /100
KX-UT133 X	Panasonic VoIP/4 SIP Phone, 3-Lines 2 Port/ PoE /100

KX-UT136 X	Panasonic VoIP/4 SIP Phone, 6-Line w/ PoE /100
KX-UT248 X	4.4 inch large display for features and 6 SIP Account/1000
KX-UT670 X	7 inch touch-Panel for features and 6 SIP Account /100
KX-NT400BX	7 inch touch-Panel Colour Touch-Screen Handset
KX-NT700BX	SIP/Analog Conference Unit
KX-NT701X	External Microphone for NT700 unit
